Date: October 9, 2015

To: Joseph Ebert, AFCEC COR

CC: Don Gronstal, AFCEC; Calvin Cox, CNGS; and Susan Soloyanis, Sologeo

From: Christopher Terpolilli, CB&I Federal Services, LLC.

Subject: Former George AFB - Fall 2015 Basewide Groundwater Sampling Event

The fall 2015 groundwater monitoring event is scheduled to begin October 12, and will include gauging the depth-to-water for all groundwater monitoring and extraction wells and analyzing groundwater samples from selected wells for volatile organic compounds (VOCs), general chemistry, and total dissolved solids (TDS). The methods and analytical suites for groundwater sampling are provided in the Draft UFP QAPP (Shaw, 2012a). The list of monitoring wells to be sampled is provided as Table 1. Note that a summary of this Tech Memo will also be presented at the upcoming annual Fall BCT Meeting.

The overall objectives of this groundwater monitoring event are to:

- Verify compliance with the ROD (OU1)
- Verify plume stability and product distribution in support of the PSCAP (SS030 and ST067b)
- Verify compliance with the LTMP (OT069)
- Monitor seasonal variation in groundwater elevation and flow patterns, and
- Monitor concentrations and areal extent of contaminants of concern (COCs).

There are four sites associated with this Fall 2015 basewide groundwater monitoring event: OT069, SS030, ST067b, and CG070. Per the BCT workshop in August 2014, AMR sampling was to be divided into two separate events: OU1 sampling (Fall) and non-OU1 sampling (Spring); except where specified within RODs/LTMPs. As OT071 and ZZ051 wells were recently sampled during the Spring 2015 event, they were not included in the Fall sample schedule proposed in this Tech Memo. The proposed well sample list (Table 1) was determined by combining the results of a BCT Workshop (August 26th and 27th, 2014), and the rationale provided in the Groundwater Monitoring Decision Tree (Figure 2-1; Shaw 2013) along with an evaluation of historical results or the requirements of a site-specific long-term monitoring plan (LTMP). Table 1 includes the well identification, aquifer, screen depth, previous depth to water, proposed pump placement, associated site(s), analysis to be performed and rationale for sampling in October 2015. Note that some of the wells are used to monitor multiple plumes and the data

312 DIRECTORS DRIVE, KNOXVILLE, TN 37923 MAIN 865-690-3211 • FAX 865-690-3626 collected will be used for reporting on more than one site. This "cross-over" category must be taken into account when calculating the total well count for the proposed Fall 2015 Sampling Event.

OT069 Site OT069 is a chlorinated VOC groundwater plume present in the Upper Aquifer beneath the flight line area that is part of OU3. The LTMP for Site OT069 entails annual sampling to monitor the chlorinated solvent plume. Table 1 identifies the nine (9) dedicated wells to be sampled under OT069; however, as previously mentioned, there are additional wells which are used to monitor multiple site plumes (i.e. OT069, SS030, and ST067b). There are a total of twelve (12) wells in this category for OT069 (nine [9] wells shared with SS030 and three [3] wells shared with ST067b); also identified in Table 1.

SS030. Site SS030 is a non-CERCLA site that contains a freeproduct and a dissolved-phase petroleum hydrocarbon plume present in the Upper Aquifer beneath the flightline area. Monitoring wells associated with the SS030 site will not be sampled for dissolved constituents if free product is observed while gauging the depth-to-water. In addition to groundwater samples, free product will be collected from six (6) SS030 wells to provide data to support the future selected remedy within the PSCAP. Table 1 identifies the twenty-two (22) dedicated wells to be sampled under SS030 along with an additional nine (9) wells shared with OT069. Note that as the nine-shared wells were previously accounted for in the OT069 subsection, they do not count toward the well total.

ST067b. Site ST067b is a non-CERCLA site that contains a free product and a dissolved-phase JP-4 plume present in the Upper Aquifer and is located in the southwestern portion of the Base. Monitoring wells associated with the ST067b site will not be sampled for dissolved constituents if free product is observed while gauging the depth-to-water. Table 1 identifies thirty-two (32) dedicated wells to be sampled under ST067b, plus an additional three (3) wells shared with OT069. Note that as the three-shared wells were previously accounted for in the OT069 subsection, they do not count toward the well total.

CG070. Site CG070 consists of a TCE groundwater plume present in the Upper and Lower Aquifers in the northeastern portion of the former George AFB and is part of OU1. Figures 1 and 2 identify the wells that will be sampled for VOCs in October 2015 in the Upper and Lower Aquifers, respectively. Groundwater samples will be collected from a total of 89 CG070 wells. Analysis will include VOCs for all 89 wells and geochemical parameters for select wells (see Table 1).

Fall 2015 Variations. Basewide locations that were sampled in October 2014, but will not be sampled in October 2015, are listed below:

SS030

• MW-13

• MW-47

• MW-111

• MW-42

• MW-99

MW-115

OT069

• MW-88

These seven (7) non-OU1 wells were recently sampled during the Spring 2015 groundwater event per the BCT Workshop in August 2014. As such, they are now part of the Spring sampling rotation and no longer included in the Fall rotation.

Conclusion. In summary, a total of 157 wells (as shown in Table 1) will be sampled during the upcoming October 2015 basewide groundwater monitoring event. Groundwater sample analysis will include 151 VOC samples, 12 cation samples, 12 TDS samples, 91 chloride samples, 50 nitrate samples, 34 sulfate samples, 46 alkalinity samples, 90 field test samples, zero (0) dieldrin samples, and corresponding QA samples (Table 1). The six product samples will be analyzed for specific gravity, carbon chain analysis, and viscosity. All of the wells will be gauged for depth-to-water or depth-to-product. Gauging and groundwater monitoring will be performed in accordance with the Draft UFP-QAPP (Shaw, 2012a). Sampling results from the October 2015 groundwater monitoring event will be reported in the 2015 Basewide Annual Monitoring and Operations Report for CERCLA and Non-CERCLA Sites.

Tables

Table 1 – Monitoring Well Summary, October 2015 Basewide Groundwater Monitoring Event

Figures

Figure 1 – Upper Aquifer Wells to be Sampled, October 2015

Figure 2 – Lower Aquifer Wells to be Sampled, October 2015

References

MWH, 2011, Final 2010 Basewide Annual Monitoring and Operations Report for CERCLA and Non-CERCLA Sites, George Air Force Base, California, August.

MWH, 2012, Final 2011 Basewide Annual Monitoring and Operations Report for CERCLA and Non-CERCLA Sites, George Air Force Base, California, August.

Shaw, 2013, Final 2012 Basewide Annual Monitoring and Operations Report for CERCLA and Non-CERCLA Sites, George Air Force Base, California, May.

Shaw, 2012a, Draft Uniform Federal Policy (UFP) Quality Assurance Project Plan (QAPP) Quality Program Plan – Volume 1, Former George Air Force Base, Victorville, California, August.

Table 1

Monitoring Well Summary Fall 2015 Basewide Groundwater Monitoring Event Former George Air Force Base, California

| Monitoring Well | Aquifer | Screen (ft bqs) | Oct 2014 DTW (ft btoc) | Proposed Pump Placement | Associated Site | VOCs Cations | TDS CI | nloride | Nitrate | Sulfate | Alkalinity | Field Dieldri | n Rationale |
|--------------------------|---------|--------------------|---------------------------|--|------------------------|--------------|--------------------|---------|---------|---------|------------|--|--|
| | | (n ngs) | Broc) | riacement | I | 1 | LL | | | | Retained | rest from Last Fall I | |
| W-6 | L | 160-230 | 183.5 | middle of column | CG070 | • | | | | | | | [OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; transmissive zone with highest contaminant concentrations or hydraulic conductivity |
| T-03 | U | 133-168 | 116.72 | 138 ft btoc | CG070 | • | | • | | | | • | OU-1 source area well scheduled for Fall sampling per BCT Workshop held in August 2014; confirms decay curve |
| T-04 | U | 134-169 | 118.42 | middle of column | CG070 | • | | • | | | | ٠ | OU-1 source area well scheduled for Fall sampling per BCT Workshop held in August 2014; confirms decay curve |
| T-05 | U | 117-127 | 117.89 | middle of column | CG070 | • | | • | | | | • | OU-1 source area well scheduled for Fall sampling per BCT Workshop held in August 2014; confirms decay curve |
| _W-1 | L | 64-103 | 48.82 | middle of column | CG070 | • | | | | | | | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; plume boundary/compliance boundary; area representative of contaminated and uncontaminated geochemical settings |
| .W-3 | L | 40-60 | 13.9 | 45 ft btoc | CG070 | • | | | | | | | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; plume boundary/compliance boundary |
| /IVV-30 | U | 120-160 | | 5 ft below water table | OT069/SS030 | • | | | | | | | Non OU-1 well; SS030 PSCAP compliance well |
| vIW-31 | U | 120-160 | 123.25 | 5 ft below water table | OT069/SS030 | • | | | | | | | Non OU-1 well; SS030 PSCAP compliance well |
| /IW-34 /IW-37 | U | 120-160 270-310 | 126.29 258.11* | 5 ft below water table middle of column | OT069/SS030 CG070 | • | | | | | | | Non OU-1 well; SS030 PSCAP compliance well OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; plume boundary/compliance boundary |
| //V-43 | Ū | 118-158 | 131.51 | 5 ft below water table | OT069/SS030 | -: | | | | | | | OCT were surfacedured for Paramipring per BCT volvarior print in Taggist 2014, pitaline doublindary/compiliance boundary Non OU-1 well; SS030 PSCAP compiliance well; OT069 LTMP well |
| /W-45 | Ü | 120-160 | 121.7 | 5 ft below water table | OT069 | | | | | | | | Monitor within SS030 benzene plume, also OT069 LTMP well; SS030 PSCAP compliance well |
| /IVV-48 | U | 120-160 | 135.28 | middle of column | OT069 | | | | | | | | Non OU-1 well; OT069 LTMP well; formerly sampled during Spring event only, recommended for semi-annual sampling as it is the closest downgradient well to the SS083 source area. |
| /W-58 | U | 120-160 | 128.82 | 5ft below water table | OT069 | • | | | | | | | Monitor eastern perimeter of SS030 benzene plume; OT069 LTMP well, annual sampling; SS030 PSCAP compliance well |
| IW-71 | U | 120-160 | 125.09 | 5ft below water table | OT069 | • | | | | | | | Monitor northeast of SS084 MTBE and SS030 benzene plumes; OT069 LTMP well, annual sampling; SS030 PSCAP compliance well |
| 1W-74 | U | 153-158 | 135.91 | middle of water | OT069 | • | | | | | | | Non OU-1 well; OT069 LTMP well, annual sampling |
| 1W-75 | U | 121-161 | 135.31 | 5ft below water table | OT069 | • | | | | | | | Non OU-1 well; OT069 LTMP well, annual sampling |
| 1W-91 | U | 117-132 | 128.01 | 5ft below water table | OT069/SS030 | | | | | | | | Non OU-1 well; OT069 LTMP well, annual sampling |
| 1W-102-OU1 1W-103-OU1 | U | 155-175 110-134 | 131.26 119.62 | middle of column middle of column | CG070 CG070 | | - | : | | | | -:- | OU-1 source area well scheduled for Fall sampling per BCT Workshop held in August 2014; confirms decay curve OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; areas representative of contaminated and uncontaminated geochemical settings |
| /IVV-105-001 /IVV-105 | U | 110-134 | 104.88 | 119 ft btoc | CG070 | -: | . - | - | | | | - | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; representative of contaminated and uncontaminated geochemical setting; supports the monitoring of site |
| | | | .5 7.00 | | 0.0010 | | | | | | | | bydrology; general chemistry sample to assess movement from the upper to the lower adulter |
| /IW-116*** | U | 140-160 | 145.37 | 5 ft below water table | ST067b | . | - | | • | | • | | ST067b PSCAP compliance well, free product previously detected in well |
| /IW-117 | U | 140-160 | 143.54 | 5 ft below water table | ST067b | • | | | • | • | • | • | Monitor benzene concentrations with ST067b plume: ST067b PSCAP compliance well |
| IW-118*** | U | 140-160 | 143.37* | middle of column | ST067b | • | | • | • | • | • | • | ST067b PSCAP compliance well; free product previously detected in well |
| 1W-119*** | U | 140-160 | 147.67* | 5 ft below water table | ST067b | • | | • | • | ٠ | | • | ST067b PSCAP compliance well; free product previously detected in well |
| 1W-120*** | U | 145-165 | 151.27 | 5 ft below water table | ST067b | • | | • | • | • | • | • | ST067b PSCAP compliance well; free product previously detected in well |
| IW-121 | U | 132-152 | 140.34 | 5 ft below water table | ST067b | • | | • | • | ٠ | • | • | Monitor upgradient of the ST067b benzene plume, ST067b PSCAP compliance well |
| IW-123 IW-124 | U | 146-161 135-155 | 153.34 143.8 | 5 ft below water table 5 ft below water table | ST067b ST067b | - | | : | • | • | • | -:- | Monitor downgradient of ST067b benzene plume; ST067b PSCAP compliance well Monitor downgradient of ST067b benzene plume; ST067b PSCAP compliance well |
| IW-125 | U | 143.5-163.5 | 156.91 | 5 ft below water table | ST067b | -: | | -:- | • | | | - | Non OU-1 well; ST067b PSCAP compliance well |
| 1W-126*** | Ü | 142-162 | 145.8 | middle of column | ST067b | | | - | • | • | | | ST0679 PSCAP compliance well: free product previously detected in well |
| 1W-127*** | U | 140.5-165.5 | 148.78 | 5 ft below water table | ST067b | • | | • | • | • | • | | ST067b PSCAP compliance well; free product previously detected in well |
| /IW-128*** | U | 145-165 | 154.82 | 5 ft below water table | ST067b | • | | • | • | ٠ | • | • | ST067b PSCAP compliance well; free product previously detected in well |
| /IW-129 | U | 142-157 | 142.61 | middle of column | ST067b | • | | • | • | • | • | • | Non OU-1 well; ST067b PSCAP compliance well |
| /IW-130 | U | 146-161 | 153 | 5 ft below water table | ST067b | • | | • | • | ٠ | • | • | Non OU-1 well; ST067b PSCAP compliance well |
| /IW-131 | U | 157-172 | 162.86 | 5 ft below water table | ST067b | • | | • | • | • | • | • | Monitor southeastem extent of ST067b benzene plume; ST067b PSCAP compliance well |
| /IW-132 /IW-133 | U | 154-169 140-155 | 159.73 140.25 | 5 ft below water table 5 ft below water table | ST067b ST067b/OT069 | -:- | | : | • | • | • | <u> </u> | Monitor benzene concentrations with ST067b plume; ST067b PSCAP compliance well Monitor downgradient of ST067b plume; ST067b PSCAP compliance well; OT069 LTMP well |
| /W-133 | U U | 145-160 | 144.49 | 5ft below water table | ST067b | | | | | • | • | | Monitor southwestern extent of \$706/87 benzene plume; \$706/87 benzen |
| 1W-136 | Ü | 155-170 | 156.82 | middle of column | ST067b | | | • | | • | | | Monitor downgradient edge of Upper Aquifer dieldrin plume; ST067b PSCAP compliance well |
| 1W-137 | U | 160-185 | 168.22 | middle of water | ST067b | • | | • | • | • | • | • | Non OU-1 well; ST067b PSCAP compliance well |
| IW-138 | U | 137-152 | 142.23 | 5ft below water table | ST067b | • | | | • | • | • | • | Non OU-1 well: ST067b PSCAP compliance well |
| 1W-139*** | U | 148-161 | 149.82 | middle of column | ST067b | • | | • | ٠ | • | • | • | Non OU-1 well; free product previously detected in well |
| IW-140*** | U | 148-168 | 154.26 | 5ft below water table | ST067b | • | | • | ٠ | ٠ | • | • | Non OU-1 well; free product previously detected in well |
| W-141 | U | 115-135 | 125.75 | 5 ft below water table | OT069 | • | | | • | | | | OT069 LTMP well, annual sampling; ST067b PSCAP compliance well |
| 1W-142 1W-143 | L | 310-340 | 305.91 305.3 | 5ft below water table | ST067b ST067b | • | | : | • | • | • | • | Non OU-1 well; ST067b PSCAP compliance well Monitor vertical migration of ST067b benzene plume; Monitor dieldrin concentrations within Lower Aquifer OT071 plume; ST067b PSCAP compliance well |
| 1VV-143 1W-144 | U | 280-310 143-163 | 148.95 | middle of column middle of column | ST067b/OT069 | | | - | • | • | • | | Clean well between ST067b and OT071 plumes; ST067b PSCAP compliance well |
| IW-151 | - i | 275-305 | 298.14 | middle of column | ST067b | . | - | - | | • | • | . | Storage PSCAP compliance well |
| IW-153 | Ū | 153-173 | 162.58 | middle of column | ST067b | . | - | | | • | • | | New well; Non OU-1 well; ST067b PSCAP compliance well |
| 1W-154 | U | 156-176 | 178.72 | middle of column | ST067b | • | | • | • | • | • | • | New well; Non OU-1 well; ST067b PSCAP compliance well |
| /IW-155 | U | 157.5-187.5 | 184.71 | middle of column | ST067b | • | | • | • | • | • | • | New well; Non OU-1 well; ST067b PSCAP compliance well |
| 1W-157 | U | 179-189 | 188.17 | middle of column | ST067b | • | | • | • | • | | • | New well; Non OU-1 well; ST067b PSCAP compliance well |
| /W-158 | U | 160-180 | 172.51 | middle of column | ST067b | • | | • | ٠ | ٠ | • | • | New well; Non OU-1 well; ST067b PSCAP compliance well |
| IZ-03 | L | 130-150 | 127.52 | middle of column | CG070 | • | | | | | | <u> </u> | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; area representative of contaminated and uncontaminated geochemical settings |
| Z-06 Z-07 | U | 138-158 | 113.7 86.78 | 143 ft btoc | CG070 CG070 | -: | | - | | | | - : - | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; areas representative of contaminated and uncontaminated geochemical settings; confirms decay curve |
| IZ-07 IZ-11 | U | 100-130 115-145 | 111.82 | middle of column 5 ft below water table | CG070 | | | : | | | | | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; confirms decay curve OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; confirms decay curve |
| IZ-11 | U | 120-150 | 109.96 | middle of column | CG070 | . | - | - | | | | -:- | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; confirms decay curve |
| Z-12 | L | 155-185 | 147.74 | middle of column | CG070 | | | • | • | | • | | LTMP annual monitoring; plume boundary/compliance boundary category; general chemistry sample to assess movement from the upper to the lower aquifer |
| IZ-18 | U | 122-132 | 120.9 | middle of column | CG070 | . | | | | | | . | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; plume boundary/compliance boundary |
| IZ-20 | U | 151-161 | 139.46 | 156 ft btoc | CG070 | | | • | • | | • | • | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; recalcitrant zone; confirms decay curve; general chemistry sample to assess movement from the upper to the lower aquifer |
| VZ-21 | U | 100-115 | 92.83 | 105 ft btoc | CG070 | • | | • | | | | • | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; plume boundary/compliance boundary category; general chemistry sample to assess movement from the upper to the lower aquifer |
| 17.00 | ļ., | 104 444 | 04.00 | 125 ft htss | 06070 | | - | | | | | | |
| Z-22 Z-23 | U | 131-141 135-145 | 94.99 116.97 | 135 ft btoc 140 ft btoc | CG070 CG070 | | | : | | | | • | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; confirms decay curve OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; confirms decay curve |
| IZ-23 IZ-24 | U | 130-140 | 112.02 | 135 ft btoc | CG070 | | \vdash | | | | | | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; confirms decay curve |
| Z-24 Z-25 | Ü | 110-120 | 91.8 | 115 ft btoc | CG070 | • | - | • | | | | - | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; supports monitoring of site hydrology; confirms decay curve |

Table 1

Monitoring Well Summary Fall 2015 Basewide Groundwater Monitoring Event Former George Air Force Base, California

| Monitoring Well | Aquifer | Screen (ft bas) | Oct 2014 DTW (ft btoc) | Proposed Pump Placement | Associated Site | VOCs C | ations TE | S Chic | ride Nitrat | e Su | ulfate Alka | linity | Field Dieldrin Test | n Rationale |
|-----------------|--------------|--------------------|---------------------------|------------------------------------|-----------------|-------------------|-----------|----------|------------------|------|-------------|--------|--|---|
| NZ-27 | U | 77-87 | 61.15 | 82 ft btoc | CG070 | · · | | | | | | | | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; areas representative of contaminated/uncontaminated geochemical settings; confirms decay curve |
| NZ-28A | U | 57-87 | 59 | middle of column | CG070 | T . T | | | • | | | | • | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; supports the monitoring of site hydrology |
| NZ-30 | U | 150-160 | 159.76* | | CG070 | • | | | | | | | | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; confirms decay curve |
| NZ-31 | U | 145-155 | 147.61 | middle of column | CG070 | · | | | | | | | | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; transmissive zone with highest contaminant concentrations or hydraulic conductivity |
| NZ-32 | U | 116-136 | 103.84 | 121 ft btoc | CG070 | • | | | | | | | | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; transmissive zone with highest contaminant concentrations or hydraulic conductivity; confirms decay curve; general chemistry sample to assess movement from the upper to lover aquifer |
| NZ-33 | U | 155-165 | 121.13 | middle of column | CG070 | $	au \cdot 	au$ | | | | | | | | OU-1 source area well scheduled for Fall sampling per BCT Workshop held in August 2014; areas representative of contaminated and uncontaminated geochemical settings |
| NZ-34 | U | 92-102 | 96.86 | middle of column | CG070 | • | | | • | | | | • | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; confirms decay curve |
| NZ-35 | U | 105-115 | 95.63 | 110 ft btoc | CG070 | • | | | • | | | | • | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; areas representative of contaminated and uncontaminated geochemical settings |
| NZ-36 | U | 120-130 | 106.04 | 125 ft btoc | CG070 | • | | | • | | | | • | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; transmissive zone with highest contaminant concentrations or hydraulic conductivity; confirms decay curve |
| NZ-37 | L | 132-142 | 107.52 | 137 ft btoc | CG070 | • | | | • | | | | • | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; plume boundary/compliance boundary |
| NZ-39 | U | 116-136 | 109.6 | middle of column | CG070 | • | | | | | | | | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; transmissive zone with highest contaminant concentrations or hydraulic conductivity; confirms decay curve |
| NZ-41 | L | 110-125 | 76.95 | 115 ft btoc | CG070 | • | | | | | | | | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; plume boundary/compliance boundary |
| NZ-43 | U | 127-157 | 115.21 | middle of column | CG070 | • | | | • | | | | • | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; transmissive zone with highest contaminant concentrations or hydraulic conductivity; confirms decay curve |
| NZ-44 | L | 252-273 | 221.16 | 257 ft btoc | CG070 | <u> </u> | • | • | • • | | | • | • | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; plume boundary/compliance boundary |
| NZ-48 | L | 140-160 | 109.29 | 45 ft btoc | CG070 | | | | | | | | • | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; plume boundary/compliance boundary; area representative of contaminated and uncontaminated geochemical settings |
| NZ-49 | U | 117-137 | 111.05 | middle of column | CG070 | 1. | | | • | | | | • | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; plume boundary/compliance boundary category |
| NZ-50 | L | 235-275 | 208.85* | middle of column | CG070 | 1. | | | • | | | | • | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; plume boundary/compliance boundary |
| NZ-51 | U | 131-152 | 140.5 | middle of column | CG070 | • | | | | | | | • | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; plume boundary/compliance boundary category |
| NZ-52 | U | 142-162 | 154.04 | middle of column | CG070 | 1. | | | | | | | • | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; plume boundary/compliance boundary category |
| NZ-54 | U | 125-145 | 130.83 | middle of column | CG070 | | | | • | | | | • | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; areas representative of contaminated and uncontaminated geochemical settings |
| NZ-55 | U | 108-128 | NA | middle of column | CG070 | | | | • | | | | ٠ | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; confirms decay curve; dedicated pump in well |
| NZ-56 | U | 111-131 | 121.5 | middle of column | CG070 | 1 . | | | • | | | | • | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; confirms decay curve |
| NZ-57 | L | 102-122 | 97.02 | middle of column | CG070 | ٠. ا | | | | | | | | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; area representative of contaminated and uncontaminated geochemical settings |
| NZ-58 | L | 142-163 | 139.21 | middle of column | CG070 | <u> </u> | | | | | | | | LTMP annual monitoring; plume boundary/compliance boundary |
| NZ-67 | U | 65-86 | 71.85 | middle of column | CG070 | ! • | | | | | | | | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; plume boundary/compliance boundary category |
| NZ-68 | Ų | 122-142 | 132.92 | middle of column | CG070 | $+\cdot\cdot+$ | | | · | | | | • | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; plume boundary/compliance boundary category |
| NZ-69 | L L | 132-152 | 119 | middle of column | CG070 | +: $+$ | | | • | | | | • | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; area representative of contaminated and uncontaminated geochemical settings |
| NZ-72 NZ-76 | <u> </u> | 200-220 | 198.69 | middle of column 141 ft btoc | CG070 CG070 | +: $+$ | | | | | | | | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; plume boundary/compliance boundary |
| | L | 136-156 | 95.64 | | | • | | | • | | | | • | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; plume boundary/compliance boundary, area representative of contaminated and uncontaminated geochemical settings |
| NZ-77 | FPA | 68-88 | 32.47 | 76 ft btoc | CG070 | | | | | | | | | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; plume boundary/compliance boundary |
| NZ-80 | - | 258-278 | 245.53 | middle of column | CG070 | . | | | . . | | | | • | LTMP monitoring for the landfill, to be sampled in Fall too; transmissive zone with highest contaminant concentrations or hydraulic conductivity; general chemistry sample to assess movement from the upper to the lower aquifer |
| NZ-81 | U | 143-158 | 157.89 | middle of column | CG070 | ++ | | | | | | | | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; plume boundary/compliance boundary category; confirms decay curve |
| NZ-82 | Ū | 107-122 | dedicated pump | dedicated pump | CG070 | $+\cdot\cdot+$ | • | . | | | | • | • | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; areas representative of contaminated and uncontaminated geochemical settings; general chemistry sample |
| NZ-83 | U | 112-124 | | dedicated numn | CG070 | 4.4 | | | | | | | | to assess movement from the upper to the lower aquifer, dedicated pump in well OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; areas representative of contaminated and uncontaminated geochemical settings; dedicated pump in well |
| NZ-84 | L | 241-256 | dedicated pump 232.62 | dedicated pump middle of column | CG070 | $+ \vdots +$ | | | | | | | - | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; transmissive zone with highest contaminant concentrations or hydraulic conductivity; general chemistry |
| 112-04 | - | 241-230 | 202.02 | middle of column | 00070 | | | | | | | | | sample to assess movement from the upper to the lower aquifer |
| NZ-85 | | 190-205 | 172.91 | 195 ft btoc | CG070 | +. $+$ | | | . . | | | • | | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; plume boundary/compliance boundary |
| NZ-93 | - | 115-135 | 121.71 | middle of column | CG070 | +.+ | | | | | | | | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; transmissive zone with highest contaminant concentrations or hydraulic conductivity; supports the monitoring |
| | . | | | | | | | | | | | | | of site hydrology |
| NZ-97 | U | 97-117 | 108.72 | middle of column | CG070 | • | | \dashv | | | <u> </u> | | | OU-1 well moved to Fall sampling schedule per BCT Workshop held in August 2014; plume boundary/compliance boundary category; supports monitoring of site hydrology |
| NZ-98 | L | 226-246 | 216.82* | 231 ft btoc | CG070 | $+ \cdot +$ | | _ | | | | | | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; plume boundary/compliance boundary |
| NZ-99 | U | 96-116 | 107.26 | middle of column | CG070 | T • | | | • | | | | • | OU-1 well moved to Fall sampling schedule per BCT Workshop held in August 2014; distal/fringe portion of plume; supports monitoring of site hydrology |
| NZ-101 | U | 91-111 | 103.2 | 5 ft below water table | e CG070 | T • | | | • | | | | • | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; plume boundary/compliance boundary category |
| NZ-102 | U | 96-116 | 103.72 | 5 ft below water table | | <u> </u> | | | | | | | | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; transmissive zone with highest contaminant concentrations or hydraulic conductivity; confirms decay curve |
| NZ-103 | U | 57-77 | 45.3 | middle of column | CG070 | | | | • | | | | • | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; supports monitoring of site hydrology; confirms decay curve |
| NZ-104 | L | 117-137 | 101.42 | middle of column | CG070 | <u> </u> | | | | | | | | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; plume boundary/compliance boundary |
| NZ-105R | L | 170-190 | 158.53 | middle of column | CG070 | · | | | • | | | | • | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; area representative of contaminated and uncontaminated geochemical settings |
| NZ-106 | L | 210-230 | 202.74 | middle of column | CG070 | | | | . . | | | • | • | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; distal/fringe portions of the plume; area representative of contaminated and uncontaminated geochemical settings |
| NZ-107 | L | 260-280 | 251.16 | middle of column | CG070 | • | • | • | • • | | | • | • | LTMP monitoring for the landfill (only applies to Spring sampling), to be sampled in Fall too; transmissive zone with highest contaminant concentrations or hydraulic conductivity; general chemistry sample to assess movement from the upper to the lower aquifer |
| NZ-111 | U | 100-140 | 116.35 | 5 ft below water table | CG070 | ++ | | -+- | | | | | | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; areas representative of contaminated/uncontaminated geochemical settings; confirms decay curve |
| NZ-112 | L | 180-200 | 173.42 | middle of column | CG070 | $+$ \cdot $+$ | | | | | | | | LTMP monitoring for the landfill (only applies to Spring sampling), to be sampled in Fall too: plume boundary/compilance boundary |
| NZ-113 | L | 133-153 | 127.02 | middle of column | CG070 | + . + | | - | | - | | | | LTMP monitoring for the landfill (only applies to Spring sampling), to be sampled in Fall too, plume boundary/compilance boundary |
| NZ-116 | Ū | 120-140 | 130.52 | 5 ft below water table | | +.+ | | _ | | | | | | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; confirms decay curve |
| NZ-119 | Ü | 148-168 | 166.82 | 5ft below water table | | $+\cdot\cdot+$ | | - | • • | | • | • | . | ST067b PSCAP compliance well |
| NZ-126 | Ü | 115-135 | 107.78 | middle of column | CG070 | $+ \cdot +$ | | _ | - | | | | | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; transmissive zone with highest contaminant concentrations or hydraulic conductivity |
| NZ-127b | L | 290-310 | 251.42* | 300 ft btoc | CG070 | $+\cdot\cdot+$ | | | • | | | | . | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; plume boundary/compliance boundary |
| NZ-127c | L | 340-360 | 251.32* | 350 ft btoc | CG070 | †• † | | _ | | | | | | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; plume boundary/compliance boundary |
| NZ-129b | L | 290-310 | 232.72 | 302 ft btoc | CG070 | $\top \cdot \top$ | | | | | | | | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; area representative of contaminated and uncontaminated geochemical settings |
| NZ-129c | L | 320-340 | 232.11* | 332 ft btoc | CG070 | 1.1 | | | • | | | | | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; area representative of contaminated and uncontaminated geochemical settings |
| NZ-130a | L | 155-175 | 155.72 | 168 ft btoc | CG070 | • | | • | | | | • | • | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; plume boundary/compliance boundary category; general chemistry sample to assess movement from the |
| NZ-133b | FPA | 65-85 | 14.3 | 76 ft btoc | CG070 | • | | | | | | | | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; plume boundary/compliance boundary |
| NZ-138 | L | 130-150 | 136.95 | middle of column | CG070 | · T | • | • | • | | | | • | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; transmissive zone with highest contaminant concentrations or hydraulic conductivity; supports monitoring of |
| | | | | | | | | | | | | | | site hydrology, general chemistry sample to assess movement from the upper to the lower aquifer |

Table 1

Monitoring Well Summary Fall 2015 Basewide Groundwater Monitoring Event Former George Air Force Base, California

| Monitoring Well | Aquifer | Screen | Oct 2014 DTW (f | | Associated Site | VOCs | Cations | TDS | Chloride | Nitrate Sulfate | Alkalinity | Field | Dieldrin | Rationale |
|-----------------|---------|---------------|---|------------------------|-----------------|--|---------|--|----------|--|------------|--|-------------|---|
| | | (ft bgs) | btoc) | Placement | | | | | | | | Test | | |
| NZ-139 | L | 130-150 | 139.98 | middle of column | CG070 | | • | • | • | • | • | • | | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; transmissive zone with highest contaminant concentrations or hydraulic conductivity; supports monitoring of site hydrology, general chemistry sample to assess movement from the upper to the lower aquifer |
| NZ-140 | FPA | 2-12 | 3.29 | middle of column | CG070 | • | • | | • | • | • | | | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; plume boundary/compliance boundary; supports monitoring of site hydrology, general chemistry sample to assess movement from the upper to the lower aquifer |
| OW-1 | FPA | 34-26 | 12.36 | 39 ft btoc | CG070 | † · | | 1 | | | | • | | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014; plume boundary/compliance boundary |
| OW-6 | FPA | 12-28 | 4.37 | middle of column | CG070 | | | † — — | | | | ٠. | | OU-1 well moved to Fall sampling schedule per BCT Workshop held in August 2014 |
| RZ-02 | L | 310-330 | 246.32* | 315 ft btoc | CG070 | † · | | | | | | † | | OU-1 well scheduled for Fall sampling per BCT Workshop held in August 2014, plume boundary/compliance boundary; unknown obstruction in well during Fall 2014 sampling event |
| | | | | <u> </u> | | | | | | | | | | |
| EX-01 | U | 120-165 | 128.5 | 5 ft below water table | SS030 | T : | T | Т | T | T | T | T | T | Evaluate benzene concentrations on the flow path downgradient from ST057 SVE extraction wells |
| EX-10 | U | 125-140 | 127.5 | 5 ft below water table | SS030 | | | † | | | | | | Evaluate benzene concentrations on the flow path downgradient from ST057 SVE extraction wells |
| LW-4 | FPA | 40-100 | 50.63 | middle of column | CG070 | • | | | l | | † | - | | OU-1 well moved to Fall sampling schedule per BCT Workshop held in August 2014 |
| MW-61 | U | 120-160 | 137.98 | 5 ft below water table | OT069/ST067b | | | 1 | | | | 1 | 1 | Monitor VOC concentrations at the northern perimeter of the dissolved-phase plume |
| MW-28 | U | 120-160 | 121.40* | 5 ft below water table | OT069/SS030 | + | | † | | 1 | † | 1 | | LTMP trigger well with model-predicted TCE concentrations |
| MW-35 | U | 115-155 | 120.45 | 5 ft below water table | OT069/SS030 | · | | | | | † | 1 | | LTMP trigger well with model-predicted TCE concentrations |
| MW-36 | U | 120-160 | 125.11 | 5 ft below water table | OT069/SS030 | † · | | † | | | | † | | LTMP trigger well with model-predicted TCE concentrations |
| MW-44 | U | 120-160 | 134.02 | 5 ft below water table | OT069 | | | 1 | | | | 1 | + | LTMP trigger well with model-predicted TCE concentrations |
| MW-52 | U | 190.5 - 200.5 | 146 | 195 ft btoc | SS030 | • | | 1 | | | | † | | Indirect assessment of potential VOC impacts to Lower Aquifer |
| MW-54 | U | 185 - 195 | 127.12 | 190 ft btoc | SS030 | + | | | | 1 | | - | | Indirect assessment of potential VOC impacts to Lower Aquifer |
| MW-55 | U | 165 - 175 | 122.11 | 170 ft btoc | SS030 | • | | 1 | | | † | † | | Indirect assessment of potential VOC impacts to Lower Aquifer |
| MW-57 | U | 120-160 | 130.24** | 5 ft below water table | OT069/SS030 | ٠. | | 1 | | | | 1 | 1 | LTMP trigger well with model-predicted TCE concentrations |
| MW-65 | U | 168 - 178 | 126.41 | 172 ft btoc | SS030 | † • • • | | 1 | | 1 | <u> </u> | - | | Indirect assessment of potential VOC impacts to Lower Aquifer |
| MW-86 | U | 160 -190 | 124.44 | 170 ft btoc | SS030 | | | | | | <u> </u> | 1 | | Indirect assessment of potential VOC impacts to Lower Aquifer |
| MW-150 | U | 155.5-175.5 | 161.35* | 5 ft below water table | ST067b | † · | | 1 | • | · · · | • | † · | | High benzene concentration detected in April 2014 |
| NZ-14 | U | 150-180 | 127.73 | 165 ft btoc | SS030 | | | 1 | | | | 1 | _ | Indirect assessment of potential VOC impacts to Lower Aquifer |
| NZ-15 | U | 152-182 | 131.09 | 167 ft btoc | SS030 | • | | 1 | | | | † | | Indirect assessment of potential VOC impacts to Lower Aquifer |
| NZ-16 | U | 150-180 | 131.28 | 165 ft btoc | SS030 | | | | | | † | - | | Indirect assessment of potential VOC impacts to Lower Aquifer |
| NZ-100 | L | 160-180 | 136.48 | 156 ft btoc | CG070 | • | | 1 | l | | † | † | | OU-1 well to be sampled during Fall 2015 as a 1 time event, plume boundary/compliance boundary |
| MW-05 | U | 115-145 | 130.65 | 5 ft below water table | SS030 | 1 | | 1 | | | | 1 | 1 | Product sampling |
| MW-10 | U | 121-151 | 128.25 | 5 ft below water table | SS030 | 1 | | 1 | | | | 1 | | Product sampling |
| MW-25 | U | 120-160 | 128.77 | 5 ft below water table | SS030 | | | 1 | | | | | | Product sampling |
| MW-32 | U | 120-160 | 126.66 | 5 ft below water table | SS030 | | | 1 | | | | † | | Product sampling |
| MW-103-0U2 | U | 119-134 | 127.43 | 5 ft below water table | SS030 | | | 1 | | | | 1 | + | Product sampling |
| MW-104-OU2 | U | 114-134 | 132.13 | ~132.5 ft btoc | SS030 | | | 1 | | | | † | | Product sampling |
| | | | | | | | | | | Wells | Removed/N | Moved f | rom Fall 20 | 5 Sampling Event |
| MW-13 | U | 120-160 | *************************************** | 5 ft below water table | SS030 | T | | T | | | <u> </u> | T | | Non OU-1 well; all non OU-1 wells moved from Fall to Spring sampling schedule per BCT Workshop in August 2014; SS030 PSCAP compliance well; Sampled in Spring 2015 |
| MW-42 | U | 120-160 | | 5 ft below water table | SS030 | ٠. | | 1 | | | | 1 | 1 | Non OU-1 well; all non OU-1 wells moved from Fall to Spring sampling schedule per BCT Workshop in August 2014; SS030 PSCAP compliance well; Sampled in Spring 2015 |
| MW-47 | U | 115-155 | | 5 ft below water table | SS030 | • | | | | | | | | Non OU-1 well; all non OU-1 wells moved from Fall to Spring sampling schedule per BCT Workshop in August 2014; OT069 LTMP well, 5-year review sampling; SS030 PSCAP compliance well; Sampled in Spring 2015 |
| MW-88 | U | 118-183 | | middle of water | OT069 | • | | 1 | | | | | | Non OU-1 well; all non OU-1 wells moved from Fall to Spring sampling schedule per BCT Workshop in August 2014; OT069 LTMP well, 5-year review sampling, Sampled in Spring 2015 |
| MW-99 | U | 119-134 | | 5ft below water table | SS030 | † · | | 1 | | | | 1 | | Non OU-1 well; all non OU-1 wells moved from Fall to Spring sampling schedule per BCT Workshop in August 2014; SS030 PSCAP compliance well; Sampled in Spring 2015 |
| MW-111 | U | 107-127 | | 5ft below water table | SS030 | | | T | | | T | 1 | | Non OU-1 well; all non OU-1 wells moved from Fall to Spring sampling schedule per BCT Workshop in August 2014; SS030 PSCAP compliance well; Sampled in Spring 2015 |
| MW-115 | U | 110-140 | | 5ft below water table | SS030 | | | 1 | | | 1 | 1 | | Non OU-1 well; all non OU-1 wells moved from Fall to Spring sampling schedule per BCT Workshop in August 2014; SS030 PSCAP compliance well; Sampled in Spring 2015 |

Fall 2015 Sampling Event includes 144 wells and consists of 144 VOC samples, 12 cations, 12 TDS, 90 chloride, 49 nitrate, 33 sulfate, 45 alkalinity, 89 field tests, and 0 dieldrin samples.

FP - Flood Plain Aquifer

L - Lower Aquifer
TCE - Trichloroethene.


U - Upper Aquifer

VOCs - Volatile organic compounds.

* - April 2015 GW measurement


** - April 2014 GW measurement

*** - Free Product previously detected in well





- Free Product Extraction Well
- ▲ Vapor Monitoring Point
- Groundwater Monitoring Well
- Vapor Extraction Well
- Water Supply Well
- Ø Inactive Supply Well
- Well to be Sampled October 2015
- Topogaphic Contour (ft msl)
- Former George Air Force Base Boundary






CB&I Federal Services LLC 312 Directors Dr. Knoxville, TN 37923

FORMER GEORGE AIR FORCE BASE VICTORVILLE, CALIFORNIA


FIGURE 1

WELLS TO BE SAMPLED FALL 2015 UPPER AQUIFER





- Free Product Extraction Well
- Groundwater Monitoring Well
- Water Supply Well
- Ø Inactive Supply Well
- Well to be Sampled October 2015
- Topogaphic Contour (ft msl)
- Former George Air Force Base Boundary





CB&I Federal Services LLC 312 Directors Dr. Knoxville, TN 37923

FORMER GEORGE AIR FORCE BASE VICTORVILLE, CALIFORNIA

FIGURE 2

WELLS TO BE SAMPLED FALL 2015 LOWER AQUIFER